

Registration

- Traditional
- addEventListener (capture)
- addEventListener (bubble)

Events

The following events are registered:

- change

Elements

The events are registered on the following elements:

- window
- #document
- form
- text
- checkbox



Miscellaneous

- Prevent default action
- Cancel bubble

Event properties

- Show event properties

Registration

- Traditional
- addEventListener (capture)
- addEventListener (bubble)

Events

The following events are registered:

- change

Elements

The events are registered on the following elements:

- document
- form
- text
- checkbox

Miscellaneous

- Prevent default action
- Cancel bubble


Event properties

- Show event properties

change

The change event fires when the value of a form field is changed.

This could be a very useful event; after all it fires only when the user actually changes something instead of whenever he focuses on a form field



- text fields
- select boxes
- checkboxes and radios

show page contents

Registration

- Traditional
- addEventListener (capture)
- addEventListener (bubble)

The following events are registered:

- change

Elements

The events are registered on the following elements:

- window
- #document
- form
- text
- checkbox

Miscellaneous

- Prevent default action
- Cancel bubble


Event properties

- Show event properties

- text fields
- select boxes
- checkboxes and radios



focus



blur

No change event. The value hasn't been modified.

show page contents

Registration

- Traditional
- addEventListener (capture)
- addEventListener (bubble)

The following events are registered:

- change

Elements

The events are registered on the following elements:

- window
- #document
- form
- text
- checkbox

Miscellaneous

- Prevent default action


Event properties

- Show event properties

- text fields
- select boxes
- checkboxes and radios




focus




blur

Change event. The value has been modified.



- text fields
- select boxes
- checkboxes and radios

Mouse:



show page contents

Registration

- Traditional
- addEventListener (capture)
- addEventListener (bubble)

Events

The following events are registered:

- change

Elements

The events are registered on the following elements:

- window
- #document
- form
- text
- checkbox

Miscellaneous



- Prevent default action
- Cancel bubble

Event properties



- Show event properties

- text fields
- select boxes
- checkboxes and radios

Mouse:



Click on new option
CHANGE



- text fields
- select boxes
- checkboxes and radios

Keyboard:



focus

Focus on select

show page contents

Registration

- Traditional
- addEventListener (capture)
- addEventListener (bubble)

Events

The following events are registered:

- change

Elements

The events are registered on the following elements:

- window
- #document
- form
- text
- checkbox

Miscellaneous

- Prevent default action
- Cancel bubble

Event properties

- Show event properties

- text fields
- select boxes
- checkboxes and radios

Keyboard:





focus



arrow

Arrow keys to move to other option
CHANGE



- text fields
- select boxes
- checkboxes and radios

This is a
BUG!

Arrow keys to move to other option
CHANGE



show page contents

Registration

- Traditional
- addEventListener (capture)
- addEventListener (bubble)

The following events are registered:

- change

Elements

The following events are registered on the following elements:

- window
- #document
- form
- text
- checkbox

Miscellaneous

- Prevent default
- Cancel bubble

Properties

Event properties

- text fields
- select boxes
- checkboxes and radios

Keyboard:




focus



arrow

Arrow keys to move to other option



- text fields
- select boxes
- checkboxes and radios

Keyboard:



focus




arrow



blur

Blur select box.
CHANGE



show page contents

Registration

- Traditional
- addEventListener (capture)
- addEventListener (bubble)

The following events are registered:

- change

Elements

The events are registered on the

- form
- text
- checkbox

Miscellaneous



- Prevent default action
- Cancel bubble

- text fields
- select boxes
- checkboxes and radios



click

CHANGE when the checked property changes.



- text fields
- select boxes
- checkboxes and radios



click

...

show page contents

Registration

- Traditional
- addEventListener (capture)
- addEventListener (bubble)

The following events are registered:

- change


Elements

The events are registered on the following elements:


- window
- #document
- form
- text
- checkbox

Miscellaneous


- Prevent default action
- Cancel bubble



- text fields
- select boxes
- checkboxes and radios



click



blur

CHANGE when the element loses the focus.

show page contents

Registration

- Traditional
- addEventListener (capture)
- addEventListener (bubble)

The following events are registered:

- change



Elements

The events are registered on the following elements:

- window
- #document
- form
- text
- checkbox

Prevent default action



Cancel bubble



- text fields
- select boxes
- checkboxes and radios

This is a
BUG!

CHANGE when the element loses the focus.



- text fields
- select boxes
- checkboxes and radios
- reset

When a form is reset, values may change, too.

show page contents

Registration

- Traditional
- addEventListener (capture)
- addEventListener (bubble)

Events

The following events are registered:

- change

Elements

The events are registered on the following elements:

- document
- form
- text
- checkbox

Miscellaneous

- Prevent default action
- Cancel bubble

Event properties

- Show event properties

- text fields
- select boxes
- checkboxes and radios
- reset

Which browsers fire a change event?
Only Konqueror, and only for
checkboxes.

